

Biophysical Journal

Contents

January 2007

Volume 92

Number 1

Biophysical Letters

Facile Lipid Flip-Flop in a Phospholipid Bilayer Induced by Gramicidin A Measured by Sum-Frequency Vibrational Spectroscopy. *Timothy C. Anglin, Jin Liu, and John C. Conboy*..... L01–L03

Localized Functional Chemical Stimulation of TE 671 Cells Cultured on Nanoporous Membrane by Calcein and Acetylcholine. *Susanne Zibek, Alfred Stett, Peter Koltay, Min Hu, Roland Zengerle, Wilfried Nisch, and Martin Stelzle* L04–L06

SGTx1, a Kv Channel Gating-Modifier Toxin, Binds to the Interfacial Region of Lipid Bilayers. *Chze Ling Wee, Daniele Bemporad, Zara A. Sands, David Gavaghan, and Mark S. P. Sansom* L07–L09

Competitive Displacement of DNA during Surface Hybridization. *J. Bishop, C. Wilson, A. M. Chagovetz, and S. Blair*..... L10–L12

pH-dependent Formation of Membranous Cytoplasmic Body-Like Structure of Ganglioside G_{M1}/Bis(Monoacylglycerol)Phosphate Mixed Membranes. *Tomohiro Hayakawa, Asami Makino, Motohide Murate, Ichiro Sugimoto, Yasuhiro Hashimoto, Hiroshi Takahashi, Kazuki Ito, Tetsuro Fujisawa, Hirotami Matsuo, and Toshihide Kobayashi* L13–L15

New and Notable

Anesthesia, Analgesia, and Euphoria. *Betty J. Gaffney* 1–2

Biophysical Theory and Modeling

Enhanced Surfactant Adsorption via Polymer Depletion Forces: A Simple Model for Reversing Surfactant Inhibition in Acute Respiratory Distress Syndrome. *Patrick C. Stenger and Joseph A. Zasadzinski* 3–9

Modeling a Spin-Labeled Fusion Peptide in a Membrane: Implications for the Interpretation of EPR Experiments. *Maria Sammakorpi and Themis Lazaridis*..... 10–22

Possible Pathway for Ubiquinone Shuttling in *Rhodospirillum rubrum* Revealed by Molecular Dynamics Simulation. *A. Aird, J. Wrachtrup, K. Schulten, and C. Tietz*..... 23–33

Conformational Sampling with Implicit Solvent Models: Application to the PHF6 Peptide in Tau Protein. *Austin Huang and Collin M. Stultz* 34–45

Charge Delocalization in Proton Channels, I: The Aquaporin Channels and Proton Blockage. *Hanning Chen, Boaz Ilan, Yujie Wu, Fangqiang Zhu, Klaus Schulten, and Gregory A. Voth*..... 46–60

Charge Delocalization in Proton Channels, II: The Synthetic LS2 Channel and Proton Selectivity. *Yujie Wu, Boaz Ilan, and Gregory A. Voth*..... 61–69

Collagen Fibrils: Nanoscale Ropes. *Laurent Bozec, Gert van der Heijden, and Michael Horton* 70–75

Channels, Receptors, and Electrical Signaling

Role of Pairwise Interactions between M1 and M2 Domains of the Nicotinic Receptor in Channel Gating. *Jeremías Corradi, Guillermo Spitzmaul, María José De Rosa, Marcelo Costabel, and Cecilia Bouzat*..... 76–86

Membranes

Composition Effect on Peptide Interaction with Lipids and Bacteria: Variants of C3a Peptide CNY21. *Lovisa Ringstad, Emma Andersson Nordahl, Artur Schmidtchen, and Martin Malmsten*..... 87–98

Cholesterol Sulfate and Ca²⁺ Modulate the Mixing Properties of Lipids in Stratum Corneum Model Mixtures. *Marjolaine Arseneault and Michel Lafleur*..... 99–114

Growth Dynamics of Domains in Ternary Fluid Vesicles. *Miho Yanagisawa, Masayuki Imai, Tomomi Masui, Shigeyuki Komura, and Takao Ohta*..... 115–125

Contents (continued)

Novel Lipid Transfer Property of Two Mitochondrial Proteins that Bridge the Inner and Outer Membranes. <i>Raquel F. Epand, Uwe Schlattner, Theo Wallimann, Marie-Lise Lacombe, and Richard M. Epand</i>	126–137	Contour Length and Refolding Rate of a Small Protein Controlled by Engineered Disulfide Bonds. <i>Sri Rama Koti Ainavarapu, Jasna Brujić, Hector H. Huang, Arun P. Wiita, Hui Lu, Lewyn Li, Kirstin A. Walther, Mariano Carrion-Vazquez, Hongbin Li, and Julio M. Fernandez</i>	225–233
Conformation of a Peptide Encompassing the Proton Translocation Channel of Vacuolar H ⁺ -ATPase. <i>Werner L. Vos, Louic S. Vermeer, and Marcus A. Hemminga</i>	138–146	Ultrasonic Storage Modulus as a Novel Parameter for Analyzing Protein-Protein Interactions in High Protein Concentration Solutions: Correlation with Static and Dynamic Light Scattering Measurements. <i>Atul Saluja, Advait V. Badkar, David L. Zeng, Sandeep Nema, and Devendra S. Kalonia</i>	234–244
A Molecular View of Melting in Anhydrous Phospholipidic Membranes. <i>M. Doxastakis, V. García Sakai, S. Ohtake, J. K. Maranas, and J. J. de Pablo</i>	147–161	Protein Phase Diagrams II: Nonideal Behavior of Biochemical Reactions in the Presence of Osmolytes. <i>Allan Chris M. Ferreon, Josephine C. Ferreon, D. Wayne Bolen, and Jörg Rösger</i>	245–256
Muscle and Contractility		pK _a Values for Side-Chain Carboxyl Groups of a PGB1 Variant Explain Salt and pH-Dependent Stability. <i>Stina Lindman, Sara Linse, Frans A. A. Mulder, and Ingemar André</i>	
A Structural Origin of Latency Relaxation in Frog Skeletal Muscle. <i>Naoto Yagi</i>	162–171	Metastable Mesoscopic Clusters in Solutions of Sickle-Cell Hemoglobin. <i>Weichun Pan, Oleg Galkin, Luis Filobelo, Ronald L. Nagel, and Peter G. Vekilov</i>	267–277
Dynamics of the Nucleotide Pocket of Myosin Measured by Spin-Labeled Nucleotides. <i>Nariman Naber, Thomas J. Purcell, Edward Pate, and Roger Cooke</i>	172–184	Supramolecular Assemblies	
Nucleic Acids		Microtubule Protofilament Number Is Modulated in a Stepwise Fashion by the Charge Density of an Enveloping Layer. <i>Uri Raviv, Toan Nguyen, Rouzbeh Ghafouri, Daniel J. Needleman, Youli Li, Herbert P. Miller, Leslie Wilson, Robijn F. Bruinsma, and Cyrus R. Safinya</i>	278–287
Time-Dependent DNA Condensation Induced by Amyloid β-Peptide. <i>Haijia Yu, Jinsong Ren, and Xiaogang Qu</i>	185–191	A Mesoporous Pattern Created by Nature in Spicules from <i>Thetya aurantium</i> Sponge. <i>Gianluca Croce, Davide Viterbo, Marco Milanese, and Heinz Amenitsch</i>	288–292
Mechanism of the Difference in the Binding Affinity of <i>E. coli</i> tRNA ^{Gln} to Glutaminyl-tRNA Synthetase Caused by Noninterface Nucleotides in Variable Loop. <i>Satoshi Yamasaki, Shugo Nakamura, Tohru Terada, and Kentaro Shimizu</i>	192–200	pH-Dependent Self-Assembly of Polyalanine Peptides. <i>Kalyan Giri, Nitai P. Bhattacharyya, and Soumen Basak</i>	293–302
Photobiophysics		Spectroscopy, Imaging, Other Techniques	
The Gas-Phase Absorption Spectrum of a Neutral GFP Model Chromophore. <i>L. Lammich, M. Åxman Petersen, M. Brøndsted Nielsen, and L. H. Andersen</i>	201–207	Three-Color Alternating-Laser Excitation of Single Molecules: Monitoring Multiple Interactions and Distances. <i>Nam Ki Lee, Achillefs N. Kapanidis, Hye Ran Koh, You Korlann, Sam On Ho, Younggyu Kim, Natalie Gassman, Seong Keun Kim, and Shimon Weiss</i>	303–312
Proteins		Multiple Diffusion Mechanisms Due to Nanostructuring in Crowded Environments. <i>Hugo Sanabria, Yoshihisa Kubota, and M. Neal Waxham</i>	313–322
Attributes of Glycosylation in the Establishment of the Unfolding Pathway of Soybean Agglutinin. <i>Sharmistha Sinha and Avadhesh Surolia</i>	208–216		
Protein Crystallography under Xenon and Nitrous Oxide Pressure: Comparison with In Vivo Pharmacology Studies and Implications for the Mechanism of Inhaled Anesthetic Action. <i>Nathalie Colloc'h, Jana Sopkova-de Oliveira Santos, Pascal Retailleau, Denis Vivarès, Françoise Bonneté, Béatrice Langlois d'Estainto, Bernard Gallois, Alain Brisson, Jean-Jacques Risso, Marc Lemaire, Thierry Prangé, and Jacques H. Abraini</i>	217–224		

Contents (continued)

Cell Biophysics

Kinetic Analysis of Amyloid Protofibril Dissociation and Volumetric Properties of the Transition State. *Abdul Raziq Abdul Latif, Ryohei Kono, Hideki Tachibana, and Kazuyuki Akasaka*..... 323–329

Transport Governs Flow-Enhanced Cell Tethering through L-Selectin at Threshold Shear. *Tadayuki Yago, Veronika I. Zarnitsyna, Arkadiusz G. Klopocki, Rodger P. McEver, and Cheng Zhu*..... 330–342

Membrane Order and Molecular Dynamics Associated with IgE Receptor Cross-Linking in Mast Cells. *Angel M. Davey, Ronn P. Walvick, Yuexin Liu, Ahmed A. Heikal, and Erin D. Sheets* 343–355

A Mathematical Model of Glioblastoma Tumor Spheroid Invasion in a Three-Dimensional In Vitro Experiment. *Andrew M. Stein, Tim Demuth, David Mobley, Michael Berens, and Leonard M. Sander*..... 356–365

Author Index 366

Cover picture: Lipid protein nanotubes made of microtubule protein (made of tubulin protein subunits shown as *red-blue-yellow-green objects*) that is coated by a mixture of cationic and neutral lipid bilayer membrane (drawn with *yellow tails* and *green* (cationic) and *white* (neutral) *spherical heads*), which in turn is coated by tubulin protein rings or spirals. A top view of the nanotubes is shown on the right. Changes in the membrane-charge-density modify—in a stepwise fashion—the inner diameter of the microtubule lumen. The image was created by P. Allen, University of California, Santa Barbara, based on x-ray scattering study and transmission electron microscopy images described in the article by Raviv et al. on page 278.